

安全网维护和保养手册

Maintenance and Care Manual for Safety Pool Cover

遵循以下简单步骤，就能确保它在未来多年持续为您服务。

Your safety cover requires virtually no maintenance. However, by following these simple procedures, you will ensure that your new cover will continue to serve you well for years to come.

一、基础安全与承重规范 Basic Safety & Load-Bearing Specifications

承重标准 Load Standard

1.安全网强度：尽管我们的安全网完全符合或超过了 ASTM F 1346-91 的要求。因此，在紧急情况下，它完全能够承载儿童或成人的体重。但我们不建议在安全网上行走，也绝不允许儿童或宠物在安全网上玩耍。

Cover Strength: Our safety cover meets or exceeds the requirements of ASTM F 1346-91. As such, it will have no problem supporting the weight of a child or an adult in an emergency. However, we do not recommend walking on it, and never allow children or pets to play on top of the cover. Adult supervision is always required around any swimming pool area.

2.拆装防护要求 Installation & Removal Protection

拆装时禁止拖拽安全网摩擦甲板、尖锐边角、凸起锚固件、支架，避免织物撕裂损坏。

Do not drag the cover across decks, sharp edges, raised anchors or brackets during installation and disassembly to prevent fabric tearing.

二、冬季积雪水位管控 Snow Season Water Level Control

积雪承重水位要求 Snow Load Water Level Requirements

雪季依靠池水分担积雪重量，水位必须严格控制：

Pool water bears snow weight in winter, strictly follow water level rules:

1.地下泳池：保持水位低于池壁顶部 38 - 46cm (15 - 18 英寸)；

In-ground pool: Water level 38 - 46cm (15 - 18 inches) below pool coping;

2.地上泳池：水位低于水位降低到低于撇渣器开口下沿约 4-6 英寸 (约 10-15 厘米)

On-ground pool: Water level 36cm (14 inches) below pool coping.

若地下池水位低于 46cm、地上池低于撇渣器开口下沿 15cm，网体受压过载，产品质保直接失效。 If water level drops below the specified value, excess stress will damage the cover and void the warranty.

冬季使用要点 Winter Operation Tips

1.张力标准：保持“紧而不绷”，松紧适度，防风杂物钻入，积雪时可适度下沉借力池水承重；

Tension standard: Tight but not overstretched. Prevent wind and debris from entering, and allow slight sagging to support snow weight via pool water.

2.定期清理落叶树枝，避免腐烂物腐蚀网布；禁止尖锐工具、腐蚀性化学品接触网面；
Clear leaves and branches regularly to avoid fabric corrosion from rotten debris. Do not use sharp tools or corrosive chemicals on the cover.

3.全程禁止踩踏网面。 No walking on the cover at any time.

三、定期检查规范 Periodic Inspection Rules

1. 结构配件检查 Component Check

检查固定固件、弹簧有无破损、断裂；网面织物有无撕裂；外露织带是否磨损断裂；地锚有无松动缺失。

Check all fasteners and springs for damage or cracks; inspect fabric for tears; check exposed straps for fraying; confirm no loose or missing ground anchors.

2. 张力检查 Tension Inspection

若盖布张力不足，及时调节织带拉力，维持合适松紧度。

Readjust strap tension if the cover becomes loose to keep proper tautness.

3. 地下池锚固件专项检查 In-ground Pool Anchor Maintenance

春秋两季拆卸全部锚固件，用水管冲洗套管内部，防止卡滞；闲置时将锚固件闭合至与甲板齐平，防止磕碰脚趾。

Remove all anchors in spring and fall, flush anchor casings with a hose to avoid jamming. Close anchors flush with the deck when the cover is not in use to prevent stubbed toes.

四、清洁保养操作 Cleaning & Maintenance

通用清洁步骤 General Cleaning Steps

1.用水泵抽走网面积水；

Use a cover pump to drain standing water on the safety cover.

2.树叶、枯枝风干后，集中清扫，使用吹吸机清理；

Sweep dry leaves and twigs into piles, then remove with a leaf blower/vacuum.

3.大量杂物使用专用池盖耙打捞；

Use a dedicated pool cover rake for large piles of debris.

4.清理仅可站在池边，严禁踏上网面；

Only stand on the pool deck during cleaning; do not step onto the cover.

夏季日常清洁 Summer Regular Cleaning

每周用自来水冲洗网面，去除灰尘与泳池化学残留；顽固污渍使用温和肥皂水搭配软毛刷擦洗。

Hose the cover weekly to remove dirt and chemical residue. Use mild soapy water and soft brushes for stubborn stains.

五、维修与更换 Repair & Replacement

1.地锚、弹簧缺失 / 损坏：向供应商采购配件补齐；

Replace missing or damaged anchors and springs with original supplier parts.

2.网面破损：使用专用安全网补丁粘贴修补；

Repair fabric tears with matching safety cover patch kits.

3.地锚松动：及时拧紧加固；

Tighten all loose ground anchors promptly.

4.织带维修方案：外露织带断裂后剩余长度 $\geq 15\text{cm}$ ，搭配目字扣连接全新双层加长织带，恢复原 60cm 织带使用功能；

Strap repair: If broken straps retain $\geq 15\text{cm}$ residual length, connect with adjusters to new double-layer long straps to restore the original 60cm strap function.

六、拆卸与收纳规范 Removal & Storage

1.拆卸前冲洗：覆盖泳池状态下用水管冲洗网面，清除表面杂物；

Pre-storage rinse: Hose the cover thoroughly while it is still installed over the pool to wash off debris.

2.折叠收纳：风琴式折叠后卷入专用收纳袋；

Fold accordion-style and roll into the original storage bag.

3.存放方式：收纳袋悬挂离地，便于排水、防止鼠类啃咬；

Hang the storage bag off the floor for drainage and rodent protection.

4.长期收纳（夏季闲置）：彻底清洁、完全晾干后再收纳，存放于阴凉干燥储物箱，远离虫鼠；拆卸全部配件，清理甲板尖锐凸起物，避免拖动划伤网布。

Long-term summer storage: Fully clean and air-dry before folding. Store in cool dry boxes away from rodents. Remove all accessories and clear sharp protrusions on the deck to avoid scratches during moving.

七、泳池水质化学管理 **Pool Water Chemical Treatment**

1.无论是否使用泳池，持续维持足量消毒剂、杀藻剂，安全网仅阻挡杂物，化学药剂才能保障水质洁净；

Maintain proper sanitizer and algaecide levels year-round. The cover only blocks debris; balanced chemicals keep water clean and safe.

2.秋季闭池：使用冬季专用化学套装（含防冻除藻剂）；

Use winter chemical kits with anti-algae treatment when closing the pool in autumn.

3.开春提示：气温稳定 15.5℃（60°F）前一个月，补充杀藻剂；定期补加消毒剂抑制藻类；网下可正常使用泳池自动清洁设备。

Add extra algaecide one month before pool opening or when temperature stays above 15.5℃ (60°F). Add sanitizer periodically to control algae. Automatic pool cleaners work safely under the cover.

八、地上泳池特殊说明 **Special Notes for On-Ground Pools**

地上泳池撇渣器、回水口结构不同，冬季需配备防冻塞、防冻挡板；务必查阅泳池原厂冬季维护说明书获取配套建议。

On-ground pools require winterizing plugs and plates due to different skimmer and return fitting layouts. Refer to your pool manufacturer's winter maintenance manual for special cover guidelines.